

(FILE 'HOME' ENTERED AT 12:38:26 ON 17 JUL 2003)

FILE 'BIOSIS' ENTERED AT 12:38:39 ON 17 JUL 2003

L1 957 S EOTAXIN
L2 6766 S OSTEOCLAST
L3 1 S L1 AND L2

FILE 'MEDLINE' ENTERED AT 12:41:10 ON 17 JUL 2003

L4 1 S EOTAXIN AND OSTEOCLAST

FILE 'ADISCTI, ADISINSIGHT, ADISNEWS, AGRICOLA, AQUASCI, BIOBUSINESS,
BIOSIS, BIOTECHDS, BIOTECHNO, CABA, CANCERLIT, CAPLUS, CEABA-VTB, CEN,
CIN, CONFSCI, CROPB, CROPU, DGENE, DRUGB, DRUGLAUNCH, DRUGMONOG2, DRUGNL,
DRUGU, DRUGUPDATES, EMBAL, EMBASE, ...' ENTERED AT 12:41:30 ON 17 JUL 2003

L5 19 S EOTAXIN AND OSTEOCLAST
L6 11 DUPLICATE REMOVE L5 (8 DUPLICATES REMOVED)

Set Name Query
side by side

Hit Count Set Name
result set

DB=USPT; PLUR=YES; OP=ADJ

<u>L19</u>	eotaxin same differentiat\$	4	<u>L19</u>
<u>L18</u>	eotaxin same hematopoietic	3	<u>L18</u>
<u>L17</u>	eotaxin same osteoblast	0	<u>L17</u>
<u>L16</u>	eotaxin same osteogen\$	0	<u>L16</u>
<u>L15</u>	eotaxin same osteoclast	0	<u>L15</u>
<u>L14</u>	eotaxin same bone	4	<u>L14</u>
<u>L13</u>	eotaxin	97	<u>L13</u>

DB=DWPI; PLUR=YES; OP=ADJ

<u>L12</u>	hematopoietic and phytohemagglutinin	0	<u>L12</u>
<u>L11</u>	hematopoietic same phytohemagglutinin	0	<u>L11</u>

DB=USPT; PLUR=YES; OP=ADJ

<u>L10</u>	hematopoietic with phytohemagglutinin	5	<u>L10</u>
<u>L9</u>	hematopoietic same phytohemagglutinin	21	<u>L9</u>
<u>L8</u>	hematopoietic same (joint or knee) same fluid	1	<u>L8</u>
<u>L7</u>	(cd34 or cd 34) same (joint or knee) same fluid	0	<u>L7</u>
<u>L6</u>	(cd34 or cd 34) same (joint or kne) same fluid	0	<u>L6</u>
<u>L5</u>	(cd34 or cd 34) same joint fluid	0	<u>L5</u>
<u>L4</u>	(culture medium or culture media) same bone same phytohemagglutinin	2	<u>L4</u>
<u>L3</u>	(culture medium or cultire media) same bone same phytohemagglutinin	2	<u>L3</u>
<u>L2</u>	(differentiation or differentiated) same bone same phytohemagglutinin	7	<u>L2</u>
<u>L1</u>	(bone with (precursor or progenitor)) same phytohemagglutinin	3	<u>L1</u>

END OF SEARCH HISTORY

Set Name Query
side by side**Hit Count Set Name**
result set*DB=USPT; PLUR=YES; OP=ADJ*L9 osteoclast precursor same differentiat\$ 14 L9*DB=PGPB; PLUR=YES; OP=ADJ*L8 osteoclast precursor same joint fluid 0 L8*DB=JPAB,EPAB,DWPI; PLUR=YES; OP=ADJ*L7 osteoclast precursor same joint fluid 1 L7*DB=USPT; PLUR=YES; OP=ADJ*L6 osteoclast precursor same joint fluid 0 L6L5 osteoclast precursor same peripheral blood 1 L5L4 osteoclast precursor same blood 5 L4L3 osteoclast precursor 36 L3L2 osteoclast precursor or osteoclast stem 36 L2L1 osteoclast precursor or osteoclast stem 0 L1

END OF SEARCH HISTORY

<u>Set Name</u>	<u>Query</u>	<u>Hit Count</u>	<u>Set Name</u>
side by side			result set
	<i>DB=PGPB; PLUR=YES; OP=ADJ</i>		
L14	eotaxin and osteoclast	21	L14
	<i>DB=USPT; PLUR=YES; OP=ADJ</i>		
L13	eotaxin and osteoclast	6	L13
	<i>DB=PGPB; PLUR=YES; OP=ADJ</i>		
L12	eotaxin and osteoclast	21	L12
	<i>DB=DWPI; PLUR=YES; OP=ADJ</i>		
L11	eotaxin and osteoclast	0	L11
L10	eotaxin same osteoclast	0	L10
	<i>DB=PGPB; PLUR=YES; OP=ADJ</i>		
L9	eotaxin same osteoclast	0	L9
L8	eotaxin same bone	19	L8
	<i>DB=USPT; PLUR=YES; OP=ADJ</i>		
L7	eotaxin same pre-osteoclast	0	L7
L6	eotaxin same preosteoclast	0	L6
L5	eotaxin same osteoclast	1	L5
L4	eotaxin same bone	6	L4
L3	L2 and l1	76	L3
L2	bone or osteoclast	62833	L2
L1	eotaxin	174	L1

END OF SEARCH HISTORY

Set Name Query
side by side

Hit Count Set Name
result set

DB=USPT; PLUR=YES; OP=ADJ

<u>L22</u>	osteogenesis with joint	38	<u>L22</u>
<u>L21</u>	osteogenesis same joint	82	<u>L21</u>
<u>L20</u>	osteogenesis same joint fluid	0	<u>L20</u>
<u>L19</u>	L18 and l9	29	<u>L19</u>
<u>L18</u>	osteogenesis	923	<u>L18</u>
<u>L17</u>	osteoclast with (precursor or progenitor) same joints	14	<u>L17</u>
<u>L16</u>	osteoclast with (precursor or progenitor) and joints	86	<u>L16</u>
<u>L15</u>	osteoclast with (precursor or progenitor) same knee	0	<u>L15</u>
<u>L14</u>	osteoclast with (precursor or progenitor) and knee	21	<u>L14</u>
<u>L13</u>	osteoclast with (precursor or progenitor) and joint	86	<u>L13</u>
<u>L12</u>	L11 and l7	86	<u>L12</u>
<u>L11</u>	joint	236959	<u>L11</u>
<u>L10</u>	L9 and l7	0	<u>L10</u>
<u>L9</u>	joint fluid	832	<u>L9</u>
<u>L8</u>	L7 and l1	1	<u>L8</u>
<u>L7</u>	osteoclast with (precursor or progenitor)	157	<u>L7</u>
<u>L6</u>	osteoclast wtin (precursor or progenitor)	0	<u>L6</u>
<u>L5</u>	phytohemagglutinin stimulated human peripheral blood and osteoclast	2	<u>L5</u>
<u>L4</u>	phytohemagglutinin stimulated human peripheral blood and bone marrow	4	<u>L4</u>
<u>L3</u>	phytohemagglutinin stimulated human peripheral blood	7	<u>L3</u>
<u>L2</u>	phytohemagglutinin stimulated peripheral blood	26	<u>L2</u>
<u>L1</u>	phytohemagglutinin stimulated same peripheral blood	74	<u>L1</u>

END OF SEARCH HISTORY